

DEPARTMENT OF THE ARMY PERMIT

Permittee: COEUR ALASKA, INCORPORATED

Permit No.: POA-1990-592-M, LYNN CANAL 31

Issuing Office: U.S. Army Engineer District, Alaska

NOTE: The term "you" and its derivatives, as used in this permit, means the permittee or any future transferee. The term "this office" refers to the appropriate district or division office of the Corps of Engineers having jurisdiction over the permitted activity or the appropriate official of that office acting under the authority of the commanding officer.

You are authorized to perform work in accordance with the terms and conditions specified below.

Project Description: Dredge, place structures, and discharge an approximate total of 3,487,950 cubic yards of fill and dredged fill materials into an approximate total of 61.7 acres of waters, including forested and scrub shrub wetlands, deep-water habitat, and into other waters, and navigable waters of the United States (U.S.), in conjunction with the construction of new mine facilities and associated infrastructure, as described in the attached Tables 1 and 2, and drawings, 12 sheets, dated April 2005. Approximately 65.49 acres of U.S. waters will be mechanically land cleared, prior to excavation and/or construction activities.

All work will be in accordance with the attached Tables 1 and 2, and drawings (14 sheets, dated April 2005).

The following action authorized May 6, 1998, by Department of the Army (DA) permit POA-1990-592-2 (2-90059), is hereby eliminated from DA authorization:

"Mechanized land clearing, followed by the excavation of wetlands, and the placement of fill to construct the base, containment and drain structures for the dry tailings storage facility (DTF), a footprint of 113 acres in wetlands."

Project Location: The project site is located within Section 1, Township 36 South, Range 61 East; and Sections 10, 14, 15, 23 through 25, and 36, Township 35 South, Range 61 East, Copper River Meridian; USGS Quadrangle Juneau D-4; Latitude 58°46'56" North, Longitude 134°00'36" West; north of Juneau, Alaska.

Permit Conditions:

General Conditions:

1. The time limit for completing the work authorized ends on 30 June 2008 . If you find that you need more time to complete the authorized activity, submit your request for a time extension to this office for consideration at least one month before the above date is reached.
2. You must maintain the activity authorized by this permit in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Condition 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.
3. If you discover any previously unknown historic or archeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and State coordination required to determine if the remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.
4. If you sell the property associated with this permit, you must obtain the signature of the new owner in the space provided and forward a copy of the permit to this office to validate the transfer of this authorization.

5. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit. For your convenience, a copy of the certification is attached if it contains such conditions.

6. You must allow representatives from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

Special Conditions:

SEE ATTACHED LIST OF PERMIT CONDITIONS

Special Information:

Any condition incorporated by reference into this permit by General Condition 5, remains a condition of this permit unless expressly modified or deleted, in writing, by the District Engineer or his authorized representative.

Further Information:

1. Congressional Authorities: You have been authorized to undertake the activity described above pursuant to:

(X) Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403).

(X) Section 404 of the Clean Water Act (33 U.S.C. 1344).

() Section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972 (33 U.S.C. 1413).

2. Limits of this authorization.

a. This permit does not obviate the need to obtain other Federal, State, or local authorization required by law.

b. This permit does not grant any property rights or exclusive privileges.

c. This permit does not authorize any injury to the property or rights of others.

d. This permit does not authorize interference with any existing or proposed Federal project.

3. Limits of Federal Liability. In issuing this permit, the Federal Government does not assume any liability for the following:

a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.

b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the United States in the public interest.

c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.

d. Design or construction deficiencies associated with the permitted work.

e. Damage claims associated with any future modification, suspension, or revocation of this permit.

4. Reliance on Applicant's Data: The determination of this office that issuance of this permit is not contrary to the public interest was made in reliance on the information you provided.


5. Reevaluation of Permit Decision. This office may reevaluate its decision on this permit at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to, the following:

- a. You fail to comply with the terms and conditions of this permit.
- b. The information provided by you in support of your permit application proves to have been false, incomplete, or inaccurate (See 4 above).
- c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.

Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and revocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33 CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you to comply with the terms and conditions of your permit and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in certain situations (such as those specified in 33 CFR 209.170) accomplish the corrective measures by contract or otherwise and bill you for the cost.

6. Extensions. General Condition 1 establishes a time limit for the completion of the activity authorized by this permit. Unless there are circumstances requiring either a prompt completion of the authorized activity or a reevaluation of the public interest decision, the Corps will normally give favorable consideration to a request for an extension of this time limit.


Your signature below, as permittee, indicates that you accept and agree to comply with the terms and conditions of this permit.



 (PERMITEE) AND TITLE

June 17, 2005
 (DATE)

This permit becomes effective when the Federal official, designated to act for the Secretary of the Army, has signed below.

FOR: 

 (DISTRICT ENGINEER) Colonel Timothy J. Gallagher
 Larry L. Reeder, Chief
 Regulatory Branch

17 June 2005
 (DATE)

When the structures or work authorized by this permit are still in existence at the time the property is transferred the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. To validate the transfer of this permit and the associated liabilities associated with compliance with its terms and conditions have the transferee sign and date below.

 (TRANSFEREE)

 (DATE)

Special Conditions for Corps Permit

POA-1990-592-M

FAILURE TO COMPLY WITH CORPS OF ENGINEERS PERMIT CONDITIONS MAY BE GROUNDS TO MODIFY, SUSPEND, OR REVOKE THE DEPARTMENT OF THE ARMY PERMIT

GENERAL

1. Any condition incorporated by reference into this permit by Special Condition or by General Condition 5, remains a condition of this permit unless expressly modified or deleted, in writing, by the District Engineer or his authorized representative.
2. The work limit for each mine component, in waters of the United States, shall be clearly identified in the field prior to excavation, clearing and/or construction. The fill limit boundaries shall be located and flagged prior to fill placement. Permanent markers shall be placed and monumented so an observer can delineate the clearing and fill limits while walking on the ground at the site.
3. Permittee shall be responsible to obtain all permits and comply with all appropriate State and Federal Statutes for oil storage and transfer. An oil storage facility shall be subject to the provisions of a plan of operation approved by the United States Coast Guard and Oil Spill Contingency Plan approved by the Alaska Department of Environmental Conservation.
4. Permittee shall provide an annual progress report to the Corps on project status. This report shall summarize the wetland acres disturbed and reclaimed. The report will be due annually on or before February 15.
5. The permittee shall ensure that all project contractors and all workers whose work is subject to this permit are advised of its terms and conditions.
6. Permittee shall comply with the terms and conditions of the most recently approved version of the Kensington Gold Project's "Final Plan of Operations", to include "Appendix I, Reclamation and Closure Plan", as approved by the U.S. Forest Service. All measures involving concurrent and end-of-project reclamation in wetlands shall become enforceable conditions of the Department of the Army (DA) permit. The DA recognizes that the reclamation document is a 'living' document and will undergo many revisions between now and project closure, to comply with pertinent Federal, state and local regulations.
7. Permittee shall minimize tree clearing at the mine and mill complex and along the haul road, and shall maintain as large a buffer of standing timber as practicable between the haul road, the mill and the processing area at Berners Bay.
8. Permittee shall identify methods in the approved Plan of Operations and implement the best management practices that allow for quick action to be taken where erosion is imminent or under way.

POA-1990-592-M

9. Permittee shall reclaim disturbed areas on steep slopes and shall avoid disturbing steep slopes during inclement weather.
10. A nontoxic chemical flocculent shall be added to the slurry to enhance the deposition of suspended particles in the Lower Slate Lake disposal site [see CFR 230.71(d)].

FRESHWATER

11. A brush berm or equivalent shall be placed on the wetland permit boundaries down gradient of flow to keep sediment from leaving the project site. The berm footprint shall not exceed the approved permit boundary.
12. Natural drainage patterns shall be maintained in the project area by the installation of culverts in sufficient number and size under access roads to prevent flooding or excessive drainage of adjacent wetlands. The flood channels identified in the approved permit boundary in and around laydown yards and pads shall be clearly marked and shall remain undisturbed except as shown in the approved permit boundary.
13. No fill or construction materials will be stockpiled, temporarily or permanently, on adjacent wetlands or waters outside the approved footprint.
14. All surface disturbances in wetlands shall be confined to the project footprint to prevent unnecessary damage to adjacent wetland areas. No motorized equipment shall be operated, stored or serviced outside of approved areas. No fuel, lubricants, or other hazardous substances shall be stored below the Ordinary High Water level of Johnson Creek, Slate Creek, Ophir Creek or Sherman Creek, Upper Slate Lake, Lower Slate lake, or below the High Tide Line of Berners Bay or Lynn Canal.
15. Permittee shall construct a cofferdam in East Fork Slate Creek, to capture Upper Slate Lake waters and other waters and divert the water via a diversion pipeline past the Tailings Storage Facility (TSF) and into the East Fork Slate Creek segment located below the dam.
16. The waters and the discharged processed mine tailing sediments, located in Lower Slate Lake, shall be tested, at lake closure or just prior to cessation of discharges of mine wastes into Lower Slate Lake, in accordance with appropriate testing requirements (at the time of closure) for the presence of toxic materials and contaminants and the results shall be made available to the United States Army Corps of Engineers, Alaska District, Regulatory Branch, for dissemination to the appropriate State and Federal resource agencies.
17. Silt screens or other appropriate methods shall be used to confine suspended particles and turbidity to a small area where settling can occur in Lower Slate Lake (see 40 CFR 230.73[c]), and include filter blankets and curtains to filter out suspended solids.

POA-1990-592-M

18. No in-water work shall occur in Johnson Creek between May 1 through October 1, to direct construction to low-flow periods.

MARINE

19. The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.
20. All steel piles shall be driven using a vibratory hammer. Under those conditions where impact hammers are required for reasons of seismic stability or substrate type, the piles shall be driven as deep as possible with a vibratory hammer prior to the use of the impact hammer. The impact hammer shall be used at a time of year when larval and juvenile stages of fish species are not present: this will be coordinated with the Alaska Department of Natural Resources, Habitat.
21. All piles shall be driven when the current is reduced (i.e., centered around slack current) to minimize the number of fish exposed to adverse levels of underwater sound.
22. Permittee shall either use a block of wood between the impact hammer and the pilings, and/or use a bubble curtain to attenuate the sound.
23. Permittee shall install and maintain, at their expense, any safety lights and signals prescribed by the U.S. Coast Guard (USCG) through regulations or otherwise, on the authorized marine facilities. The USCG can be reached at the following address and telephone number: Commander (oan) 17th Coast Guard District, Post Office Box 25517, Juneau, Alaska 99802-5517, telephone (907) 463-2254.
24. The size of the fill footprint shall be restricted to minimize adverse environmental impacts to the Slate Creek Cove and Berners Bay ecosystem.
25. Permittee shall use metal grating as a top surface, rather than planking, as this results in greater light transmission to aquatic plants. Light penetration is needed to maintain inter-tidal habitat beneath structures such as walkways, catwalks, and gangways.
26. No portion of any floating structure may ground at any tidal stage.
27. No in-water work shall occur in Berners Bay between March 15 through June 30, to protect juvenile salmonids, herring and eulachon.
28. The placement of fill material into marine waters shall only occur during low-water periods.

POA-1990-592-M

29. Your use of the permitted activity must not interfere with the public's right to free navigation on all navigable waters of the United States.

ALASKA DEPARTMENT OF CONSERVATION CERTIFICATION: The following conditions were listed on ADEC's Certificate of Reasonable Assurance, and in accordance with 33 U.S.C. 1341(d), are incorporated into the Department of the Army permit.

1. The permittee shall submit mine operations, water quality monitoring, and closure plans to the department for its approval before introducing any discharge into the TDF and shall secure department approval for any modification to approved plans.
2. During construction of the tailings dam the construction area shall be isolated from the flowing waters. Techniques such as stream diversion, dam and pump, or stream fluming shall be incorporated into the construction activity to insure that silt laden water resulting from construction activities is not carried downstream and to marine waters.
3. All soil disturbing construction operations that would increase turbidity of surface waters to levels that would violated Alaska Water Quality Standards shall be temporarily suspended if on site monitoring demonstrates said violations.
4. For culverts which carry waters that are discharging or will discharge into fish-bearing fresh waters or marine waters, installation shall not occur within the flowing waters of the stream/drainage. Culvert installation techniques such as stream diversion, dam and pump, or stream fluming shall be incorporated into the installation activity to insure that silt laden water is not carried into sensitive fish-habitat. DNR Habitat permits shall address the anadromous fish-bearing streams.
5. Any disturbance in the stream banks or streambeds area shall be stabilized to prevent erosion and resultant sedimentation of the water body during and after operations. Any disturbed areas shall be re-contoured and revegetated as soon as practicable.
6. During the construction and operational phases, spill response equipment and supplies shall be available on site for the cleanup and containment of petroleum product leaks or spills.
7. The wooden portions of road bridges and of the marine terminal shall not be treated with any preservative containing or pentachlorophenol and if treated with creosote, the creosote shall be applied via pressure treatment that inhibits leaching at a rate that causes a sheen to form on the water.
8. The mine tailings shall be tested on a quarterly basis, in accordance with a monitoring plan approved by the department, to insure there are no significant deviations from the original tailings analysis which may affect monitoring, closure requirements, water quality, or any other permit condition. Constituent levels that shall be measured include, but are not limited to, aluminum, ammonia, arsenic, cadmium, chromium, copper, iron, lead, mercury,

POA-1990-592-M

- nickel, nitrate, pH, selenium, silver, sulfate, total dissolved solids (TDS), zinc, meteoric water mobility, and acid base accounting. These analyses shall be included in the annual report to the U.S. Forest Service for all agencies to review.
9. Untreated runoff from the topsoil stock pile shall not be allowed to reach any natural body of water.
 10. Construction of the infiltration gallery shall be isolated from the flowing waters of the stream.
 11. Intertidal fill placed for the marine terminal shall be clean of organics. Fill shall be placed during low tide in those intertidal areas which are dry during low tide.
 12. The appropriate water quality protection BMPs shall be utilized during the proposed timber harvest around Lower Slate Lake, to protect the waters of the lake, stream, and ocean.
 13. Bridge abutment construction shall be isolated from the flowing waters of the stream.
 14. Coeur Alaska, Inc., shall provide proof of financial responsibility in an amount and in form(s) acceptable to the Department, in accordance with AS 46.03.100(f) and 18 AAC 60.265. If the financial assurances provided to other state and federal agencies are not sufficient to satisfy the Departments requirements, Coeur Alaska Inc. will provide any additional financial assurances determined by the Department to be necessary.
 15. Capping of the tailings, addition of organics, or other state approved mitigation measures will be required at or after mine closure if water quality criteria are not met in the impoundment, or if the tailings do not successfully re-colonize as determined by the state.

Table 1 - Kensington Gold Project - Amendment to Permit # 2-900592 - Facility Acres

Area*	Facility Description	Status	Acres of Waters of the U.S.**	Fill Volume***	Mechanical Land Clearing (acres)
1	Kensington Comet Beach Camp	Existing/Permitted	0	0	0
2	Kensington Road	Permitted	(0.9)	0	0
3	Kensington Borrow Source	Proposed Expansion	(0.3)	0	0.3
4	Kensington Development Rock Storage	Existing/Permitted	(5.1)	(500,000)	0
5	Kensington Water Treatment Plant/Ponds	Existing/Permitted	(2.6)	(20,000)	0
6	Kensington Topsoil Stockpile Area	Permitted	(2.1)	(30,000)	2.1
7	Kensington 2050 Waste Rock Dump	Existing	0	0	0
8	Jualin Process Area	Proposed	1.1	21,000	1.1
9****	Jualin Development Rock Storage	Proposed	4.3	100,000	4.3
10	Jualin Process Area Treatment Pond	Proposed	0	(20,000)	0
11	Jualin Process Area-Topsoil Stockpile	Proposed	0	(10,000)	0.3
12	Jualin Pumphouse Area	Proposed	0.1	0	0.1
13	Jualin Access Road	Proposed Expansion	8.2	26,000	8.2
14	Jualin Laydown Area #1	Existing	(0.4)	(4,800)	0
15	Jualin Laydown Area #2	Proposed	(3.5)	0	3.5
16	Jualin Laydown Area #3	Existing	(0.8)	0	0
17	Jualin Administration Area	Existing	(2.5)	(32,000)	0
18	Jualin Borrow Source #1	Proposed Expansion	0	0	0
19	Jualin Borrow Source #2	Proposed Expansion	(0.1)	0	0.1
20	Jualin Borrow Source #3	Proposed Expansion	(2.4)	0	2.4
21	Jualin Borrow Source #4	Proposed	(0.7)	0	0.7
22	Tailings Facility Access Road & Pipeline	Proposed	4.7	20,000	4.7
23	Tailings Facility Access Road	Proposed	0.3	2,000	0.3
24	Tailings Lake (tailings as fill)	Proposed	23.5	3,168,000	23.5
25	Tailings Lake Margin Working Area	Proposed	8.25	450	8.25
25a	Tailings Lake Water Treatment Plant	Proposed	0.24	1000	0.24
25b	Tailings Lake Diversion Pipe Intake Dam	Proposed	0.01	25	0
26	Tailings Dam Borrow Source	Proposed	(0.3)	0	0.3
27	Tailings Pipeline and Access Road	Proposed	3.0	15,000	3.0
28	Tailings Dam and Plunge Pool Area	Proposed	5.9	120,000	0
29	Slate Creek Cove Marine Terminal	Proposed	1.9	10,475	1.9
30	Slate Creek Cove Topsoil Stockpile	Proposed	0.2	4,000	0.2
TOTALS			61.7	3,487,950	65.49

* Areas are shown on Sheet 3 of 14

** Areas in parentheses are existing, permitted, or have no fill associated with the disturbance to wetlands

*** Fill volumes in parentheses are existing or have been previously permitted


**** Of the proposed facilities in this amendment, this is the only facility which will not be reclaimed as wetlands

Table 2 - Summary of Disturbed Areas and Wetlands



Parcel	Reclamation (acres)		
	Wetland - or open water	Upland	No Action
1 - Kensington Comet Beach Camp	0	3.2	0
2 - Kensington Road	7.6	0.5	0
3 - Kensington Borrow Source	1.5	0	0
4 - Kensington Development Rock Storage	0	14.3	0
5 - Kensington WTP/Ponds	4.3	0	0
6 - Kensington Snow/Topsoil Stockpile	2.1	0	0
7 - 2050 Level Portal Waste Rock Dump	0	0	1.5
8 - Jualin Process Area	0	0	12.9
9 - Jualin Development Rock Storage Area	0	4.3	0
10 - Jualin Process Area Treatment Pond	0	0	1.5
11 - Process Area Snow/Topsoil Stockpile	0	0.3	0
12 - Jualin Pumphouse Area	0	0	0.1
13 - Jualin Access Road	0	0	33.8
14 - Jualin Laydown Area #1	0.4	0	0
15 - Jualin Laydown Area #2	0	0	3.5
16 - Jualin Laydown Area #3	0	0	0.8
17 - Jualin Administration Area	0	0	2.5
18 - Jualin Borrow Source #1	0	2.0	0
19 - Jualin Borrow Source #2	0	1.3	0
20 - Jualin Borrow Source #3	3.6	0	0
21 - Jualin Borrow Source #4	0.7	0	0
22 - TSF Access Road and Pipeline	0	0	7.4
23 - Tailings Facility Access Road	0	0	2.6
24 - Tailings Lake	61.8 ^{1,2}	0	0
25 - Tailings Lake Margin Working Area	8.5	9.4	0
26 - Tailings Dam Borrow Source	0.5	4.1	0
27 - TSF Access Road and Pipeline	2.8	7.3	0
28 - Tailings Dam Plunge Pool Area	5.9	0.9	0
29 - Slate Creek Cove Marine Terminal	1.9	0	0
30 - Slate Creek Cove Snow/Stockpile	0.2	0	0
Totals	101.8	47.6	66.6


¹ Total area (61.8 acres) includes 58.3 acres of deep water, greater than 6.6 feet in depth.


² Total lake area includes area of existing lake (21.9 acres).



SOURCE: USGS 1:250,000 SERIES TOPOGRAPHIC QUADRANGLE, JUNEAU, ALASKA-CANADA, REVISED 1985, NGVD 1929.




	SHEET 2 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
GENERAL FACILITIES ARRANGEMENT KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			





(SEE SHEET 3A FOR DISTURBANCE
PARCEL ACREAGES)



0 5000FT
SCALE

	SHEET 3 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
DISTURBANCE PARCEL LOCATIONS KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			





LOCATION MAP



- WATERS OF THE UNITED STATES**
- LAKES & PONDS
 - STREAMS
 - WETLANDS (PREVIOUS STUDY)
 - WETLANDS (DEFINED BY ABR ENVIRONMENTAL RESEARCH & SERVICES 2003 WETLANDS SURVEY)

	SHEET 4 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
WETLANDS LOCATIONS KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			





	SHEET 5 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		


SHEET INDEX FOR PROJECT AREAS
KENSINGTON GOLD PROJECT
 BERNERS BAY, ALASKA

ENTIRE AREA IS WATERS OF THE U.S.

SECTION No.	SHEET No.
1-1	6
2-2	6
3-3	7






JUALIN ACCESS ROAD EXISTING & PROPOSED ALIGNMENT & DISTURBANCE OUTLINE



FACILITY DESIGN BY PERATROVICH, NOTTINGHAM, & DRAGE, INC.




	SHEET 5A OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
SHEET INDEX FOR AREA 1 - MARINE TERMINAL KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			

WATERS OF THE UNITED STATES


-  LAKES & PONDS
-  STREAMS
-  WETLANDS (DEFINED BY ABR ENVIRONMENTAL RESEARCH & SERVICES 2000 WETLANDS SURVEY)

SECTION No.	SHEET No.
4-4'	9
5-5'	10
12-12'	8B



(DIVERSION DAM DETAIL.....SHEET 8A)



FACILITY DESIGN BY KNIGHT PIESOLD CONSULTING


	SHEET 5B OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
SHEET INDEX FOR AREA 2 - TSF KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			

SECTION No.	SHEET No.
9-9'	13
10-10'	14
11-11'	14



PROJECT AREA LOCATION MAP

BUFFER ZONE-
±100' EACH SIDE




WATERS OF THE UNITED STATES
STREAMS

WETLANDS (DEFINED BY ABR ENVIRONMENTAL RESEARCH & SERVICES 2000 WETLANDS SURVEY)

FACILITY DESIGN BY HATCH ENGINEERING

	SHEET 5D OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
SHEET INDEX FOR AREA 4 KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			



**BUFFER ZONE-
±100' EACH SIDE**

**PERMITTED
EXPANSION OF
EXISTING
DEVELOPMENT
ROCK STORAGE**

**EXISTING 850
LEVEL MINE
PORTAL**

**EXISTING
WATER
TREATMENT
PLANT**


**PERMITTED
SNOW/TOPSOIL
STOCKPILE AREA**

**EXISTING
PONDS**


EXISTING ROAD

**PERMITTED
BORROW AREA**

WETLANDS





PROJECT AREA LOCATION MAP



WATERS OF THE UNITED STATES

- - - - - STREAMS
- - - - - WETLANDS BOUNDARY

	SHEET 5E OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
SHEET INDEX FOR AREA 5 KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			



PROJECT AREA LOCATION MAP

BUFFER ZONE-
±100' EACH SIDE

Comet Beach

EXISTING
KENSINGTON
CAMP

EXISTING
ROAD

WETLANDS

SHERMAN CREEK




WATERS OF THE UNITED STATES

- - - STREAMS
- - - WETLANDS BOUNDARY


	SHEET 5F OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
SHEET INDEX FOR AREA 6 KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			

ENTIRE AREA IS IN THE WATERS OF THE U.S.




AREA 1 LOCATION MAP

SECTION 1-1'




SECTION 2-2'




FACILITY DESIGN BY PERATROVICH, NOTTINGHAM, & DRAGE, INC.

	SHEET 6 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU			
CROSS-SECTIONS 1-1' & 2-2' KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			

SECTION 3-3'




ENTIRE AREA IS IN THE WATERS OF THE U.S.





AREA 1 LOCATION MAP

FACILITY DESIGN BY PERATROVICH, NOTTINGHAM, & DRAGE, INC.


	SHEET 7 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
CROSS-SECTION 3-3' KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			




EARTH OR ROCKFILL DAM (PLAN)




SECTION A-A'





SECTION B-B'





	SHEET 8A OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
DIVERSION DAM PLAN & SECTION - TSF KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			

TSF WATER TREATMENT PLANT CROSS-SECTION 12-12'



AREA 2 LOCATION MAP

	SHEET 8B OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: NTS	DRAWN: JASPER GEOGRAPHICS	
LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU			
CROSS-SECTION 12-12' KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			



- 8" CONCRETE IN FILLED GEOCELL SYSTEM
- 18 OZ. NON-WOVEN GEOTEXTILE
- FLEXIBLE GEOMEMBRANE
- 16 OZ. NON-WOVEN GEOTEXTILE

FACILITY DESIGN BY KNIGHT PIESOLD CONSULTING

SHEET 9 OF 14 DATE: APRIL 2005 PROJECT: 404


SCALE: AS SHOWN DRAWN: JASPER GEOGRAPHICS

LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU


SECTION 4-4' TAILINGS STORAGE FACILITY DAM
BERNERS BAY, ALASKA

C.O.B.U.R.
ALASKA

TAILINGS STORAGE FACILITY DAM





AREA 2 LOCATION MAP



LEGEND:


- NATURAL GROUND SURFACE
- - - - OPERATING & RECLAIMED SURFACE

	SHEET 10 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
SECTION 5-5' TAILINGS STORAGE FACILITY DAM			
KENSINGTON GOLD PROJECT			
BERNERS BAY, ALASKA			



TYPICAL ACCESS ROAD UPGRADE SECTION


ENTIRE SECTION IS IN WATERS OF THE U.S.




NOT TO SCALE

	SHEET 11 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
<p>CROSS-SECTIONS 6-6' AND 7-7'</p> <p>KENSINGTON GOLD PROJECT</p> <p>BERNERS BAY, ALASKA</p>			

EXISTING BORROW SITE TO BE EXPANDED



AREA 3 LOCATION MAP




Note: Borrow areas in wetlands will be reclaimed as wetland or open water.

LEGEND:


- NATURAL GROUND SURFACE
- OPERATIONAL SURFACE AND RECLAIMED SURFACE


	SHEET 12 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
CROSS-SECTION 8-8' KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			





AREA 4 LOCATION MAP

**JUALIN PROCESS AREA
CROSS-SECTION**




	SHEET 13 OF 14	DATE: APRIL 2005	PROJECT: 404
	SCALE: AS SHOWN	DRAWN: JASPER GEOGRAPHICS	
	LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU		
CROSS-SECTION 9-9' KENSINGTON GOLD PROJECT BERNERS BAY, ALASKA			

JUALIN ADMINISTRATION AREA CROSS-SECTION 10-10'



AREA 4 LOCATION MAP

JUALIN ADMINISTRATION AREA CROSS-SECTION 11-11'



SHEET 14 OF 14 | DATE: APRIL 2005 | PROJECT: 404

SCALE: AS SHOWN | DRAWN: JASPER GEOGRAPHICS

LOCATION: T.35S., R.62E., CITY & BOROUGH OF JUNEAU

CROSS-SECTIONS 10-10' & 11-11'
KENSINGTON GOLD PROJECT
 BERNERS BAY, ALASKA

STATE OF ALASKA

DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF WATER
Water Non-Point Source Pollution Control Program

Frank H. Murkowski, Governor
555 Cordova Street
Anchorage, AK 99501-2617
Phone: (907) 269-6281
Fax: (907) 269-7508
TTY: (907) 269-7511
<http://www.state.ak.us/dec/>

May 6, 2005

Rick Richins
RTR Resource Management, Incorporated
1109 W. Main Street
Boise, Idaho 83702

Certified Receipt Number #7004 1160 0004 2848 6168
Return Receipt Requested

Subject: Lynn Canal 31 M, Kensington Mine
Reference No. POA-1990-592-M
State I.D. No. AK 0406-13J

Dear Mr. Richins:

In accordance with Section 401 of the Federal Clean Water Act of 1977 and provisions of the Alaska Water Quality Standards, the Department of Environmental Conservation is issuing the enclosed Certificate of Reasonable Assurance for the proposed development of new mine facilities and associated infrastructure within state waters and wetlands, 45 miles northwest of Juneau, Alaska.

Since this certification also serves as a waste management and disposal authorization, it expires on May 5, 2010.

Department of Environmental Conservation regulations provide that any person who disagrees with this decision may request an adjudicatory hearing in accordance with 18 AAC 15.195 – 18 AAC 15.340 or an informal review by the Division Director in accordance with 18 AAC 15.185. Informal review requests must be delivered to the Director, Division of Water, 410 Willoughby Ave., Juneau 99801, within 15 days after receiving this certification. Adjudicatory hearing requests must be delivered to the Commissioner of the Department of Environmental Conservation, 410 Willoughby Avenue, Suite 303, Juneau, Alaska 99801, within 30 days after the date of this certification. If a hearing is not requested within 30 days, the right to appeal is waived.

By copy of this letter we are advising the U.S. Army Corps of Engineers and the state Office of Project Management and Permitting of our actions and enclosing a copy of the certification for their use.

Sincerely,

SIGNATURE ON FILE

Ron Klein
Program Manager

Enclosure

CC: (with encl.)
John Leeds, COE Juneau
Pete McGee, ADEC Fairbanks
People who commented

EPA, AK Operations
F&WS
DNR/OPMP Juneau

**STATE OF ALASKA
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
CERTIFICATE OF REASONABLE ASSURANCE**

A Certificate of Reasonable Assurance, in accordance with Section 401 of the federal Clean Water Act and the Alaska Water Quality Standards, is issued to Coeur Alaska, Incorporated, 3031 Clinton Drive, Suite 202, Juneau, Alaska 99801, for the proposed placement of fill into approximately 61.7 acres of wetlands and waters, in the development of mining facilities and associated infrastructure. The purpose of this filling is to relocate the major mine components from the Kensington Mine in the vicinity of Comet Beach on Lynn Canal to the Jualin Mine (2 miles to the southeast) in the vicinity of Slate Cove. This is necessary in order to access the ore body from the Jualin side of the peninsula. This certificate also substitutes for, and serves as, a state integrated waste management and disposal authorization under 18 AAC 60.200(b) and AS 46.03.100(d). The department will enforce the terms and conditions of this certification in the same way that it would require compliance with a permit issued under 18 AAC 60 or 18 AAC 72 for the same activity.

The Tailing Disposal Facility (TDF) proposed to be constructed in Slate Creek will be considered a "disposal site" under federal law and policy (see 40 CFR § 230.3(i)), and is hereby authorized as a "treatment work" under state law (see AS 46.03.900(33)). Thus, State of Alaska water quality standards will not have to be met within that area. 18 AAC 70.010(c). Water discharged from the TDF shall meet NPDES permit limitations, and the receiving water, East Fork Slate Creek, must meet state water quality standards.

Proposed facilities requiring said fill placement are listed in Table 1.

The proposed activity is located within Section 1, T36S, R61E; and Sections 10, 14, 15, 23, 24, 25, and 36, T35S, R61E, Copper River Meridian, on the west side of Berners Bay in the vicinity of Slate Creek Cove, 45 air miles northwest of Juneau, Alaska.

Public notice of the application for this certification was given as required by 18 AAC 15.180.

Water Quality Certification is required under Section 401 because the proposed activity will be authorized by a Corps of Engineers permit, reference number POA-1990-592-M, and a discharge may result from the proposed activity.

Table 1 - Kensington Gold Project Facility Acres

Area	Facility Description	Status	Acres of Waters of the U.S.**	Fill Volume***	Mechanical Land Clearing (acres)
1	Kensington Comet Beach Camp	Existing/Permitted	0	0	0
2	Kensington Road	Permitted	(0.9)	0	0
3	Kensington Borrow Source	Proposed Expansion	(0.3)	0	0.3
4	Kensington Development Rock Storage	Existing/Permitted	(5.1)	(500,000)	0
5	Kensington Water Treatment Plant/Ponds	Existing/Permitted	(2.6)	(20,000)	0
6	Kensington Topsoil Stockpile Area	Permitted	(2.1)	(30,000)	2.1
7	Kensington 2050 Waste Rock Dump	Existing	0	0	0
8	Jualin Process Area	Proposed	1.1	21,000	1.1
9****	Jualin Development Rock Storage	Proposed	4.3	100,000	4.3
10	Jualin Process Area Treatment Pond	Proposed	0	(20,000)	0
11	Jualin Process Area-Topsoil Stockpile	Proposed	0	(10,000)	0.3
12	Jualin Pumphouse Area	Proposed	0.1	0	0.1
13	Jualin Access Road	Proposed Expansion	8.2	26,000	8.2
14	Jualin Lay/down Area #1	Existing	(0.4)	(4,800)	0
15	Jualin Lay/down Area #2	Proposed	(3.5)	0	3.5
16	Jualin Lay/down Area #3	Existing	(0.8)	0	0
17	Jualin Administration Area	Existing	(2.5)	(32,000)	0
18	Jualin Borrow Source #1	Proposed Expansion	0	0	0
19	Jualin Borrow Source #2	Proposed Expansion	(0.1)	0	0.1
20	Jualin Borrow Source #3	Proposed Expansion	(2.4)	0	2.4
21	Jualin Borrow Source #4	Proposed Expansion	(0.7)	0	0.7
22	Tailings Facility Access Road & Pipeline	Proposed	4.7	20,000	4.7
23	Tailings Facility Access Road	Proposed	0.3	2,000	0.3
24	Tailings Lake (tailings as fill)	Proposed	23.5	3,168,000	23.5
25	Tailings Lake Margin Working Area	Proposed	8.25	450	8.25
25a	Tailings Lake Water Treatment Plant	Proposed	0.24	1000	0.24
25b	Tailings Lake Diversion Pipe Intake Dam	Proposed	0.01	25	0
26	Tailings Dam Borrow Source	Proposed	(0.3)	0	0.3
27	Tailings Pipeline and Access Road	Proposed	3.0	15,000	3.0
28	Tailings Dam and Plunge Pool Area	Proposed	5.9	120,000	0
29	Slate Creek Cove Marine Terminal	Proposed	1.9	10,475	1.9
30	Slate Creek Cove Topsoil Stockpile	Proposed	0.2	4,000	0.2
TOTALS			61.7	3,487,950	65.49

**Areas in parentheses are existing, permitted, or have no fill associated with the disturbance to wetlands
 ***Fill volumes in parentheses are existing or have been previously permitted
 ****Of the proposed facilities in this amendment, this is the only facility which will not be reclaimed as wetlands

Having reviewed the application and comments received in response to the public notice, the Alaska Department of Environmental Conservation certifies that there is reasonable assurance that the proposed activity, as well as any discharge which may result, will comply with applicable provisions of Section 401 of the Clean Water Act and the Alaska Water Quality Standards, 18 AAC 70, provided that the following conditions are adhered to.

1. The permittee shall submit mine operations, water quality monitoring, and closure plans to the department for its approval before introducing any discharge into the TDF and shall secure department approval for any modification to approved plans.
2. During construction of the tailings dam the construction area shall be isolated from the flowing waters. Techniques such as stream diversion, dam and pump, or stream fluming shall be incorporated into the construction activity to insure that silt laden water resulting from construction activities is not carried downstream and to marine waters.
3. All soil disturbing construction operations that would increase turbidity of surface waters to levels that would violate Alaska Water Quality Standards shall be temporarily suspended if on site monitoring demonstrates said violations.
4. For culverts which carry waters that are discharging or will discharge into fish-bearing fresh waters or marine waters, installation shall not occur within the flowing waters of the stream/drainage. Culvert installation techniques such as stream diversion, dam and pump, or stream fluming shall be incorporated into the installation activity to insure that silt laden water is not carried into sensitive fish habitat. DNR Habitat permits shall address the anadromous fish-bearing streams.
5. Any disturbance in the stream banks or streambed areas shall be stabilized to prevent erosion and resultant sedimentation of the water body during and after operations. Any disturbed areas shall be re-contoured and revegetated as soon as practicable.
6. During the construction and operational phases, spill response equipment and supplies shall be available on site for the cleanup and containment of petroleum product leaks or spills.
7. The wooden portions of the terminal docking shall not be treated with a preservative containing pentachlorophenol and if treated with creosote, the creosote shall be applied via pressure treatment that inhibits leaching at a rate that causes a sheen to form on the water.
8. The mine tailings shall be tested on a quarterly basis, in accordance with a monitoring plan approved by the department, to insure there are no significant deviations from the original tailings analysis which may affect monitoring, closure requirements, water quality, or any other permit condition. Constituent levels that shall be measured include, but are not limited to, aluminum, ammonia, arsenic, cadmium, chromium, copper, iron, lead, mercury, nickel, nitrate, pH, selenium, silver, sulfate, total dissolved solids (TDS), zinc, meteoric water mobility, and acid base accounting. These analyses shall be included in the annual report to the U.S. Forest Service for all agencies to review.
9. Untreated runoff from the topsoil stock pile shall not be allowed to reach any natural body of water.
10. Construction of the infiltration gallery shall be isolated from the flowing waters of the stream.
11. Intertidal fill placed for the marine terminal shall be clean of organics. Fill shall be placed during low tide in those intertidal areas which are dry during low tide.

12. The appropriate water quality protection BMPs shall be utilized during the proposed timber harvest around Lower Slate Lake, to protect the waters of the lake, stream, and ocean.
13. Bridge abutment construction shall be isolated from the flowing waters of the stream.
14. Coeur Alaska, Inc., shall provide proof of financial responsibility in an amount and in form[s] acceptable to the Department, in accordance with AS 46.03.100(f) and 18 AAC 60.265. If the financial assurances provided to other state and federal agencies are not sufficient to satisfy the Department's requirements, Coeur Alaska, Inc. will provide any additional financial assurances determined by the Department to be necessary.
15. Capping of the tailings, addition of organics, or other state approved mitigation measures will be required at or after mine closure if water quality criteria are not met in the impoundment, or if the tailings do not successfully re-colonize as determined by the state.

May 6, 2005

Date _____

SIGNATURE ON FILE

Ron Klein
Program Manager

STATE OF ALASKA

FRANK H. MURKOWSKI, GOVERNOR

DEPARTMENT OF NATURAL RESOURCES OFFICE OF PROJECT MANAGEMENT/PERMITTING ALASKA COASTAL MANAGEMENT PROGRAM

SOUTHCENTRAL REGIONAL OFFICE
550 W 7th AVENUE SUITE 1680
ANCHORAGE, ALASKA 99501
PH: (907) 269-7470 FAX: (907) 269-3891

CENTRAL OFFICE
302 GOLD STREET, SUITE 202
JUNEAU, ALASKA 99801-0030
PH: (907) 465-3562 FAX: (907) 465-3075

PIPELINE COORDINATOR'S OFFICE
411 WEST 4th AVENUE SUITE 2C
ANCHORAGE, ALASKA 99501
PH: (907) 285-71351 FAX: (907) 272-3829

www.alaskacoast.state.ak.us

April 25, 2005

Mr. Rick Richins
Coeur Alaska, Inc., Kensington Mine
3031 Clinton Drive
Juneau, Alaska 99801-7106

Dear Mr. Richins:


**Subject: Lynn Canal 31/Kensington Mine (Jualin Modifications)
State I.D. No. AK 0406-13J
Final Consistency Response -- Concurrence**

The Office of Project Management and Permitting (OPMP) has completed coordinating the State's review of the Coeur Alaska, Inc. proposed "Kensington Mine - Jualin Modification" project for consistency with the Alaska Coastal Management Program (ACMP).

OPMP has developed the enclosed final consistency response, in which the State concurs with the Coeur Alaska, Inc. certification that the project is consistent with the ACMP. This final consistency response is the final ACMP decision for this proposed project.

By copy of this letter, I am informing the U.S. Forest Service, the U.S. Army Corps of Engineers, U. S. Environmental Protection Agency, and State review participants of OPMP's finding. If you have any questions, please contact me at joe_donohue@dnr.state.ak.us or 907-465-4664. The State appreciates your cooperation with the ACMP.

Sincerely



Joe Donohue
ACMP Project Specialist

Enclosure

Distribution List:

Pete McGee – ADEC/AWQ, Fairbanks *

Kenwyn George – ADEC/AWQ, Juneau *

Sharmon Stambaugh – ADEC, Anchorage *

Wayne Dolezal – ADFG, Anchorage *

Brady Scott – ADNR/DMLW, Juneau *

Chris Landis – ADNR/DMLW, Juneau *

John Dunker – ADNR/DMLW/Water Resources, Juneau *

Al Ott – ADNR/OHMP, Fairbanks *

Jackie Timothy – ADNR/OHMP, Juneau *

Carl Schrader – ADNR/OHMP, Juneau *

Ed Fogels – ADNR/OPMP, Anchorage *

Randy Bates – ADNR, OPMP, Juneau*

Bill Jeffress – ADNR/OPMP, Anchorage *

Stefanie Ludwig – ADNR/SHPO, Anchorage *

Cameron Leonard – ADOL, Fairbanks *

Bruce Anders – ADOL, Anchorage *

Teri Camery – Coastal District, Juneau *

Peter Freer – City and Borough of Juneau *

Gary Droubay - Goldbelt, Inc., Juneau *

John Leeds – USACE, Juneau * **

Chris Meade – USEPA, Juneau *

Cindy Godsey – USEPA, Anchorage *

Patty McGrath – USEPA, Seattle *

Steve Hohensee – USFS, Juneau *

Dave Cox – USFS, Juneau *

Steve Brockmann – USFWS, Juneau *

Susan Walker – NMFS, Juneau *

* = Emailed, ** = Faxed

ALASKA COASTAL MANAGEMENT PROGRAM
FINAL CONSISTENCY RESPONSE
CONCURRENCE

DATE ISSUED: April 25, 2005

PROJECT TITLE: Lynn Canal 31 / Kensington Mine (Jualin Modification)

STATE ID. NO.: AK 0406-13J

AFFECTED COASTAL RESOURCE DISTRICT: Juneau

APPLICANT: Coeur Alaska, Inc.

DESCRIPTION OF PROJECT SUBJECT TO ACMP REVIEW:

According to the Amended Plan of Operation submitted to the U.S. Forest Service in November, 2001, the following modifications to the project have been proposed. A Final Supplement Environmental Impact Statement (FSEIS) evaluating the changes was prepared by the USFS and a Record of Decisions issued December 9, 2004.

In the amended plan, the mine access has been moved from Comet Beach to Slate Creek Cove. Workers would be transported by ferry from a new marine terminal at Cascade Point to a new marine terminal at Slate Creek Cove. An existing mine road from Slate Creek Cove to the former Jualin Mine site would be upgraded. Associated development at the Jualin site includes additional road and construction of processing and support facilities.

The Dry Tailings Facility on the Comet Beach side has been eliminated and disposal of 4.5 million tons of tailings would occur in Lower Slate Lake, on the Jualin side. Milling operations would be located in the Johnson Creek drainage. A pipeline access road and a cutoff road between the historic Jualin road and the new pipeline access road would be constructed. Water from Johnson Creek used for tailings slurry transport to the TSF and to mine stopes would be recycled to the mill processing operation.

Goldbelt, Inc. proposes to construct a marine terminal facility at Cascade Point, for the dual purpose of berthing tour vessels and transport of personnel to and from the Kensington Mine. The Cascade Point breakwater and dock were reviews in the FEIS as an associated facility of the proposed mining project. The State has reviewed the Cascade Point marine terminal as a separate project (Berners Bay 4, State ID No. AK 0406-14J)

Specifically, the proposed work subject to this ACMP review includes:

Lynn Canal 31/Kensington Mine (Jualin Modification)

1/ Discharge of an approximate total of 5,452,700 [5,451,700] cubic yards (CY) of fill and dredged fill materials into approximately 91.7 acres of forested and scrub-shrub wetlands, deep-water habitat and in navigable waters. Fill materials would be placed in navigable waters for construction of a marine terminal in Slate Creek Cove, and placed as follows for other facilities and operations of the mine:

<u>Proposed Facilities</u>	<u>Acres Impacted</u>	<u>Proposed Fill Volume</u>
Process Area	5.3	88,000
Tailings Dam	1.4	145,000
Access Road	12.0	26,000
Laydown Area	5.0	4,800
Waste Rock	4.8	311,000
Borrow Areas	4.2	0
Mine Tailings	45.5	4,800,000
Tails Placement	8.9	15,000
Topsoil Stockpile	1.0	33,000
<u>Slate Crk Terminal</u>	<u>3.6</u>	<u>28,900</u>
Total	91.7	5,451,700

(Note: This information has been inserted into the final ACMP consistency response to qualify and correct project information used for the proposed ACMP consistency response. The following is from an April 22, 2005 message from the Juneau U.S. Army Corps of Engineers (COE) office - "The acreages and fill volumes in the original public notice stated that approximately 5,451,700 cubic yards (cys) would be discharged into approximately 69.2 acres of US waters. These numbers were incorrect and have been updated: the applicant had included in their table of expected impacts not only acreages of the proposed work, but also the acreages and volumes for actions that had been authorized under the original permit, whether actually constructed or not, as well as other actions that did not require authorization. Note that the total acres of waters that will be impacted is 61.7 acres. Also, note that the Jualin Development Rock Storage site will be the only wetland fill that will NOT be reclaimed as a water of the United States: all other water/wetland fill sites will be reclaimed as waters or wetlands, as appropriate. Thus, the net loss of waters of the United States, after reclamation, will be 4.3 acres.

<u>Facilities</u>	<u>Acres of Impacted Waters (Acres)</u>	<u>Fill Volume (cys)</u>
Jualin Process Area	1.10	21,000
Jualin Dev. Rock Storage	4.30	100,000
Jualin Access Road	8.30	26,000
Tailings Fac. Access Rd.	5.00	22,000
Tailings Lake Storage	23.50	3,168,000
Tailings Lake Margin	8.25	450

Tailings Water Treatment	0.24	1,000
Tailings Lake Diversion	0.01	25
Tailings Pipeline & Road	3.00	15,000
Tailings Dam Facility	5.90	120,000
Slate Creek Cove Terminal	1.90	10,475
Slate Creek Cove Stockpile	0.20	4,000
TOTALS	61.70	3,487,950

The COE added some acreages together, so this table won't reflect a table of data recently submitted by Coeur to the Corps, but the final numbers are correct.")

2/ Slate Creek Cove Marine Terminal Facility: Construction of an approximately 110' long pile-supported dock, plus an approximately 100' long X 12' wide removable float connected to the dock by a 6' wide X 80' long gangway. Construction of a clean gravel fill approach, an approximately 30' wide X 210' long landing craft ramp, a 40' wide X 60' long heavy duty platform, a 24' wide X 120' long transfer bridge on pile-supported dolphins, and a breasting pierhead with 5 breasting/mooring dolphins. This facility would be constructed on State tide and submerged lands containing approximately 6.43 acres. The location is Slate Creek Cove, at the marine terminus of the historic Jualin Mine Road, Section 1, T. 36 S, R. 62 E. CRM.

(Note: The proposed development for the Slate Creek Cove Marine Terminal has since been revised and modified to use less area and less fill volume. The modifications are consistent with the NMFS conservation recommendations. The pile supported dock has been modified and substantially reduced to a short trestle. Instead of five, the revised plan incorporates four breasting/mooring dolphins. Instead of the transfer bridge extending from a heavy duty platform, the transfer bridge extends directly from the filled approach which itself is modified to incorporate a concrete or block built vertical-faced retaining wall. The 210' long landing craft ramp has been eliminated and instead there will be a much shorter earthen filled ramp. This development provides for a significant reduction in the required amount of fill and impacted acres. The proposed tideland lease area is modified from 6.43 acres to approximately 3.8 acres. For the current purposes the proposed work subject to this ACMP review includes what was original proposed rather than the modified development. However, since the development plan as modified will involve less development and therefore less impact to coastal resources, it will still comply with the consistency determination as rendered by this consistency response - DMLW, April 22, 2005.)

3/ Access Road, Slate Creek Cove Marine Terminal to Kensington Mine/Mill Complex: Upgrades would be made to an existing single-lane mine access road, including resurfacing, filling, and compacting. Drainage ditches would be improved or constructed, and bridges would be replaced at two locations where the road intersects with Johnson Creek. Seventeen turnouts would be constructed. The road access portion of the project would affect 27.8 acres. The location is T. 36 S, Range 62 E, Section 1, and T. 35 S, R. 62 E, and Sections 10, 14, 15, 23, 24, 25 and 36.

4/ Water Appropriation, Johnson Creek: The applicant has requested use of water from Johnson Creek in the amount of 7,500 gallons per day, January through December, for domestic purposes, and up to 218,700 gallons per day for mining and milling, and tailings slurry transport. The location

is Johnson Creek, Section 15, T. 35 S, R. 62 E, Copper River Meridian. This water request has been given case number "LAS 24432".

5/ Water Appropriation, Slate Creek: The applicant has requested use of water from Slate Creek in the amount of 8,530 acre feet per year, at a maximum diversion rate of 5,315 gallons per minute (approximately 11.8cfs), January through December, for the purpose of maintaining water quality and aquatic habitat. The location is Lower Slate Lake and Mid-Lake Slate Creek, within Sections 23, 26 and 27, T. 35 S, R. 62 E., Copper River Meridian. This water request has been given the case number "LAS 24486".

6/ Instream work, Upper Johnson Creek: work has been proposed by the applicant to install an infiltration gallery in the stream bank to supply water for the mine/mill complex. The location is Upper Johnson Creek, T. 35 S, R. 62 E, Section 15, CRM, approximately 1.4 stream miles above a barrier blocking migration of anadromous fish; below the barrier Lower Johnson Creek has been identified as important in supporting populations of anadromous fish. Upper Johnson Creek supports a population of resident Dolly Varden char.

7/ Instream work, Upper Johnson Creek: A bridge replacement (Bridge #1) has been proposed for this location for the access road to the mine/mill complex. Instream work may occur if the existing bridge abutments require removal. The location is Upper Johnson Creek, T. 35 S, R. 62 E, Section 15, CRM, approximately 0.5 stream miles above the natural barrier separating Upper and Lower Johnson Creek; below the barrier Lower Johnson Creek has been identified as important in supporting populations of anadromous fish. Upper Johnson Creek supports a population of resident Dolly Varden char.

8/ Instream work, Upper Johnson Creek: A bridge replacement (Bridge #2) has been proposed for this location for the access road to the mine/mill complex. Instream work may occur if the existing bridge abutments require removal. The location is Upper Johnson Creek, T. 35 S, R. 62 E, Section 15, CRM, approximately 1.4 stream miles above the natural barrier separating Upper and Lower Johnson Creek; below the barrier Lower Johnson Creek has been identified as important in supporting populations of anadromous fish. Upper Johnson Creek supports a population of resident Dolly Varden char.

9/ Discharge of pollutants, including treated domestic wastewater and treated non-domestic wastewater from the Kensington Mine:

- a) Outfall 001 – Lat. 58° 52' 04" N, Long. 135° 06' 55" W, discharge of mine water to Sherman Creek.
- b) Outfall 002 – Lat. 58° 49' 58" N, Long. 134° 57' 58" W, discharge from the Tailings Storage Facility to East Fork Slate Creek.
- c) Outfall 003 – Lat. 58° 51' 58" N, Long. 135° 08' 28" W, discharge of treated domestic wastewater to Lynn Canal.

Project components outside the scope of ACMP review: In association with the Kensington Mine project, the applicant has requested that the State of Alaska temporarily close the Jualin Mine Road (RST 4) to public access to protect public safety.

Background Information

This large mine project was first proposed by Echo Bay Exploration, Inc, in June, 1989, and scoping was performed under the National Environmental Policy Act (NEPA). ACMP-NEPA comments were provided under project number AK 890601-01J. Additional NEPA scoping was performed in 1990, under ACMP project review numbers AK 900501-01J (May, 1990) and AK 900824-11J (August, 1990).

Echo Bay's Exploration Plan was reviewed for ACMP in April, 1991, under AK 910409-08J, and the Draft Environmental Impact Statement (DEIS) was reviewed under ACMP and NEPA in June, 1991, project number AK 910605-07J. There was a change in project applicant, to the "Kensington Venture," a joint venture between Echo Bay Exploration and Coeur d'Alene Mines in 1991, and modifications to the project proposal that were reviewed under AK 910821-01C. Kensington Venture presented an Exploration and Geotechnical Survey Plan of Operations in May, 1992, which was reviewed for ACMP as AK 920505-02J. Coeur Alaska became the sole applicant for the project in July, 1995.

As originally permitted, the Kensington Gold Project proposed to access the historic ore bodies near Berners Bay from the Comet Beach side of Lion's Head Mountain, adjacent to Lynn Canal. The proposal, as amended and permitted in 1997, and reviewed as the "No Action" Alternative in the 2004 Supplemental Environmental Impact Statement, would include off-site processing of flotation tailings and use of a 20 million-ton dry tailings facility (DTF). The proposal included using diesel and liquefied petroleum gas to fuel generators, and discharge of mine water to Sherman Creek (Lynn Canal/Comet Beach side) and DTF effluent to Camp Creek (Lynn Canal/Comet Beach side). No new facilities were proposed for the Jualin Mine side of the peninsula, inside Berners Bay. The DTF was never constructed by Coeur-Alaska. Hence, the NPDES permit was never fully implemented by the applicant.

Additional Information

The State agencies with responsibility for issuing authorizations for the Kensington Mine - Jualin Modification evaluated the proposed project for consistency with the standards and policies of the ACMP. As a result of their consistency evaluations, State agencies compiled a list of recommended alternative measures, that if accepted by the applicant would allow the proposed project to achieve consistency with the standards and policies of the ACMP. Following a period of negotiations between the State agencies and the applicant - Coeur Alaska, Inc. has agreed to incorporate State-recommended alternative measures into the project description.

SCOPE OF PROJECT REVIEW:

Except for the water quality issues addressed through the Alaska Department of Environmental Conservation (ADEC) 401 Certification process, the scope of the project subject to the consistency review includes all activities that require an authorization from a Federal and State agency for the project to proceed. The scope of this ACMP consistency review included all applications and documentation submitted for federal and State authorizations.

AUTHORIZATIONS:

The project must be found consistent with the ACMP before the following Federal and State authorizations may be issued:

U.S. Army Corps of Engineers (COE)
Section 404 and 10 Permit No. POA-1990-592-M

U.S. Environmental Protection Agency (USEPA)
National Pollutant Discharge Elimination System (NPDES) Permit No. AK-005057-1

Alaska Department of Environmental Conservation (ADEC)
Certificates of Reasonable Assurance (401) (for Section 404 and for NPDES)

Alaska Department of Natural Resources (ADNR)
Division of Mining, Land & Water (DMLW)
Land Use Permit No. LAS 24488 (Jualin Mine Road)
Tidelands Lease No. ADL 107154 (Slate Creek Cove Marine Terminal Facility)
Water Right Permits nos. LAS 24432 (Johnson Creek), LAS 24486 (Slate Creek)

Office of Habitat Management & Permitting (OHMP)
Fish Habitat Permit Nos.:
FH05-I-0047 Johnson Creek Bridge #1
FH05-I-0048 Johnson Creek Bridge #2
FH05-I-0049 Johnson Creek Infiltration Gallery
FH05-I-0050 Lower Slate Lake Tailings Impoundment Dam

CONSISTENCY RESPONSE STATEMENT:

Based on an evaluation of your project by the Alaska Departments of Fish and Game and Natural Resources, and the Juneau Coastal District, and the applicant's acceptance of the alternative measures recommended by the State for the project to achieve consistency with the standards of the ACMP, the State of Alaska proposes to concur with the consistency certification submitted by Mr. Rick Richins of Cocur Alaska, Inc. An analysis by ACMP staff of authorization documents of separate State agencies has reached the conclusion that the conditions placed upon the applicant by these authorizations meet the requirements of the standards and policies of the ACMP, therefore the proposed modifications to the U.S. Forest Service' (USFS) "General Plan of Operations" (POO) for the Kensington Mine and each of the authorizations listed above are found to be consistent with the standards and policies of the ACMP.

Please note that, in addition to their consistency review, State agencies with permitting responsibilities will evaluate this proposed project according to their specific permitting authorities. Agencies will issue permits and authorizations only if they find the proposed project complies with their statutes and regulations in addition to being consistent with the coastal program. An agency permit or authorization may be denied even though the State concurs with the ACMP. Authorities outside the ACMP may result in additional permit/lease conditions. If a requirement set out in the project description (per 11 AAC 110.260) is more or less restrictive than a similar requirement in a resource agency authorization, the applicant shall comply with the more restrictive requirement. Applicants may not use any State land or water without ADNR authorization.

This final consistency response represents a consensus reached between you as the project applicant and the reviewing agencies listed above; regarding the conditions necessary to ensure the proposed project is consistent with the ACMP. We are informing the federal agency responsible for approving a federal authorization for your project that your original proposal has been modified subject to the conditions in this consistency response.

This final consistency response is a final administrative decision for purposes of Alaska Appellate Rules 601-612. Any appeal from this decision to the superior court must be made within 30 days of the date of this consistency response.

ADVISORIES:

Department of Natural Resources:

Division of Mining, Land and Water (DMLW) – On September 15, 2004 OPMP received the following written comments on the DMLW land use authorizations for the Kensington Mine project modification:

"The Land Section of the Division of Mining, Land and Water has reviewed the above referenced development projects for consistency with the Alaska Coastal Management Program. The project proposed relates to the Kensington Mine Project and as of specific concern to the Land section of DNR, Division of Mining Land and Water the project consists of: (1) the development of a marine transfer facility and terminal on State-owned tide and submerged lands at Slate Creek Cove, and (2) for construction and operation upon the Jualin Mine Road, a State easement interest provided under RS-2477 (RST-4).

The DNR land use applications have been received for the project and are identified as:

- Tideland Lease, ADL 107154 (Slate Creek Cove Marine terminal)
- Land Use Permit, LAS 24488 (Jualin Mine Road, RST-4)

Our office concurs with the applicant's certification that the proposed activity complies with and is consistent with the ACMP.

A consistency determination does not obligate the Department of Natural Resources to issue authorization pursuant to AS 38, nor does it supersede statutory obligations thereunder. The applicant may not proceed with any site specific land use activity on the subject State lands until so authorized by the Division of Mining, Land and Water. Authorities outside 6AAC 50 may result in additional permit conditions not contained in the consistency decision."

Water Resource Section – On April 21, 2005 OPMP received the following verification of conditions that will be required for the water use for the "Jualin modification" of the Kensington Mine:

"ADNR/Water Resources, under the authority of the Alaska Water Use Act, will require conditions in the water right permits to protect water resources and aquatic habitat, including the following:

- All diversion flows greater than 30,000 gpd shall be metered.
- Stream Flows downstream from the infiltration gallery in Johnson Creek and downstream from the tailings dam in East Slate Creek shall be continuously monitored and periodically reported

to ADNR/Water Resources, according to a stream gauging plan to be prepared by the permittee and submitted to ADNR/Water Resources for prior approval. Water elevations in the TSF reservoir will be continuously monitored and periodically reported to ADNR/Water Resources, according to a reservoir elevation monitoring plan to be prepared by the permittee and submitted to ADNR/Water Resources for prior approval."

Office of Habitat Management and Permitting (OHMP) – On April 21, 2005 OPMP received the following written comments and recommendations:

"Habitats in the project area that may be affected by the proposed project include estuaries; wetlands; streams; and lakes; and important upland habitat. Pursuant to 6 AAC 80.130(b), all habitats that are subject to the provisions of the Alaska Coastal Management Program (ACMP) must be managed so as to maintain or enhance the biological, physical, and chemical characteristics of the habitat that contribute to its capacity to support living resources. In addition,

- Estuaries must be managed so as to assure adequate water flow, natural circulation patterns, nutrients, and oxygen levels, and avoid the discharge of toxic wastes, silt, and destruction of productive habitat;
- Wetlands and tideflats must be managed so as to assure adequate water flow, nutrients, and oxygen levels and avoid adverse effects on natural drainage patterns, the destruction of important habitat, and the discharge of toxic substances.
- Rivers, streams, and lakes must be managed to protect natural vegetation, water quality, important fish or wildlife habitat and natural water flow.

Pursuant to 6 AAC 80.130(d) uses and activities in the coastal area, which will not conform to the above standards, may be allowed if the following are established:

- (1) there is a significant public need for the proposed use or activity;
- (2) there is no feasible prudent alternative to meet the public need for the proposed use or activity which would conform to the standards; and
- (3) all feasible and prudent steps to maximize conformance with the standards will be taken.

The Office of Habitat Management and Permitting (OHMP) has determined that the project would not conform to the above standards because there would be permanent loss of wetlands, estuarine and stream habitats and short-term loss of lake habitat. However, we have further determined that the activity should be allowed pursuant to 6 AAC 80.130(d) for the following reasons:

Public need: The Juneau Coastal District has determined that there is a significant public need for the project. OHMP defers to the expertise of the coastal district in this determination. (Note: As the coordinating State agency and following an evaluation of the Juneau Coastal District's comments and recommendations, OPMP concurs that there is a significant public need for this project.)

Feasible prudent alternative: The applicant has demonstrated that the proposed project is the only feasible prudent alternative that would meet the public need for the project.

Measures to maximize conformance: Appropriate measures will be taken to maximize conformance with the standard. Foremost will be reclamation of Lower Slate Lake and other wetlands following mine closure. Measures shall include, but will not be limited to the following representative measures.

Estuarine Habitats

Construction and operation of a marine terminals at Cascade Point and Slate Creek Cove would impact habitats for forage fish (herring and eulachon), juvenile salmonids, and marine mammals. Potential impacts would be mitigated through appropriate facility design, in-water construction timing and vessel operational restrictions, water quality and biological monitoring, and vessel operational restrictions as described in the following project-related authorizing documents (noted below). These measures are taken from a list of recommendations submitted by the National Marine Fisheries Service (NMFS) to the State resource agencies:

In-Water Timing Restrictions / Operation Timing Restrictions -

- NMFS recommendation - In-water construction to take place outside timing window to protect outmigrating juvenile salmonids and spawning and rearing marine forage fish; use of vibratory hammers to drive piles to reduce noise impacts to teleost fish.

State response - The State's tidelands leases will have a stipulation [alternative measure] prohibiting in-water construction from March 15 through June 30. The use of vibratory hammers is recommended whenever practicable. (The CBJ CUP prohibits in-water construction from March 15 through June 15.)

- NMFS recommendation - No construction between March 15 and June 30 to minimize noise impacts to marine mammals. Near-water construction only during winter months when few marine mammals are present.

State response - CBJ Allowable and Conditional Use permits address in-water construction from March 15 through June 15. Coeur has proposed no construction March 15 through June 30 and that will be reflected in State tideland lease.

The tidelands lease will also have the following stipulation [alternative measure] that states: *"No blasting shall occur on the leased premises during any period when in-water construction activities are prohibited or at any time when Steller sea lions or humpback whales are present within a 1000-foot radius, In-water construction activities will be suspended when humpback whales or Steller sea lions are within 1,000 feet, as determined from on-site monitoring by a NMFS-approved marine mammal biologist."*

Water Quality / Biological Monitoring -

- NMFS recommendation - Coeur should support research over the life of the project to better understand the direct and indirect impacts to listed species and their prey. Monitoring is to be directed toward adaptive management; NMFS and other natural resource agencies independently review collected data to assess impacts; if impacts are detected, USFS and USACE would consult with NMFS to determine how to adjust action.

State response - The USFS POO requires a marine monitoring program for Berners Bay that includes long-term monitoring for petroleum pollution (PAH) herring spawning habitat and egg biomass, marine mammals and waterbirds. The USFS POO and the CBJ AUP establishes the "Berners Bay Working Group" to evaluate the effectiveness of the monitoring programs. Also, the USFS POO requires that an environmental audit will be performed every six years by an independent third party consultant to determine the effectiveness of the mines environmental systems, and recommend changes if necessary.

- NMFS recommendation - Monitoring of construction activity impacts on marine mammal behavior with results submitted annually to NMFS and USFS to determine effectiveness of mitigation measures.

State response - The USFS POO requires a trained observer during construction activity. Monitoring results will be reviewed by the "Berners Bay Working Group" annually.

- NMFS recommendation - A marine mammal observer is to monitor crew shuttle operations year-round rather than only during April/May.

State response - The USFS POO requires a trained observer during the spring eulachon run. The state will not require the observer year-round.

- NMFS recommendation - Vessel operating procedures to be monitored and evaluated to determine effectiveness at protecting listed species.

State response - The USFS POO requires a trained observer during vessel operations. Monitoring results will be reviewed by the "Berners Bay Working Group" annually.

Vessel / Aircraft / Vehicle Operation -

- NMFS recommendation - Reduction of in-water construction noise and other noise reduction measures including speed limits, controlling helicopter altitudes and flight paths, eliminating compression brakes on the haul road.

State response - The CBJ Allowable Use Permit addresses requirements for helicopter flight paths and altitudes, use of compression brakes for emergencies only, and speed limits on the Slate Creek Cove Road to the mine.

- NMFS recommendation - Vessel traffic to be minimized after dark especially during spring eulachon/herring runs.

State response - The USFS POO requires that during spring eulachon and herring runs, ferry operations shall be restricted to daylight hours, to the extent feasible.

- NMFS recommendation - Vessels to be operated year-round at speeds not exceeding 13 knots.

State response - The USFS POO requires that during spring eulachon and herring runs, ferries within Berners Bay shall be operated at speeds not to exceed 13 knots.

Rivers, Streams, and Lake Habitats

Construction of the Tailings Storage Facility would impact fish habitat on Lower Slate Lake, East Fork Slate Creek and Inter-Lake Creek. These impacts will be temporary - only occurring during operations of the Tailings Storage Facility - and will be mitigated through reclamation and monitoring programs as described in the USFS POO and Reclamation Plan's Monitoring Plan.

Wetlands

Wetlands would be impacted by placement of fill in approximately 92 acres of wetlands including forested and scrub wetlands, Lower Slate Lake, and marine waters. (NOTE: The revised project description identifies 61.70 acres.) The majority of the wetlands lost will be reclaimed as wetlands at the end of the project as described in Coeur's "Kensington Reclamation Plan" approved by both ADNR and USFS."

Important Upland Habitat

Winter Goat Habitat: ADF&G has expressed concern that noise and disturbance associated with the project may disturb mountain goats, particularly during winter when they are found at low elevations and are nutritionally stressed. The POO requires that Coeur conduct a monitoring study to determine mountain goat movement and habitat use patterns in relation to mining activities.

Juneau Coastal District - On October 15, 2004 OPMP received the following written comments and recommendations from the Juneau Coastal District Coordinator:

"The Juneau Coastal District has reviewed the above referenced proposal for consistency with the Juneau Coastal Management Program (JCMP) and the Juneau Wetlands Management Plan (JWMP). The project was approved by the CBJ Planning Commission on August 30, 2004 as MIN2004-00003. The consistency review below is the exact language from the JCMP section of the staff report that the Planning Commission approved, with the JCMP-related conditions approved on the final Notice of Decision. . . .

JUNEAU COASTAL MANAGEMENT PROGRAM

The Juneau Coastal District recommends that the project be found consistent with the Juneau Coastal Management Program with the adoption of the following alternative measures:

JCMP Conditions

33. Preserved and pressure-treated wood shall not be used in the water, or have contact with the water, in the construction of the Slate Creek Cove marine terminal.
34. Fill in wetlands shall be avoided and minimized to the greatest extent practicable.
35. The best management practices enumerated in CBJ 549.70.1080 (b) (7) (A) (B) (C) (D) (F) and (G) are incorporated as BMPs for the project. These are:
 - There shall be no work in the stream bed or that would adversely impact the stream during egg incubation or out-migration of salmon smelts;
 - Filtration curtains shall be used to protect streams from turbidity due to adjacent soil disturbance activities;

- Existing wetlands vegetation shall be stripped in mats and repositioned over regraded soils;
- The amount of fill shall be restricted to the minimum amount necessary to achieve stated purposes;
- All discharge material shall be free from toxic pollutants in toxic amounts as defined by state law, and;
- Erosion at the construction site shall be controlled through re-vegetation and other appropriate means.
- Exposed soils shall be re-vegetated within one year.

Wetlands Review Board Conditions

36. Marine construction shall not occur in Slate Creek Cove during the spring concentration of forage fish.
37. A strong monitoring and reporting program shall be instituted for water quality assessment in the Slate Lakes Basin and in Slate Creek Cove, with an emphasis on the fish population.
38. Species in Slate Creek Cove shall be monitored for vessel impacts. Measures shall be taken to reduce impacts to marine species, including reduction of vessel speed, vessel routing and timing of vessel arrivals and departures. Coeur should incorporate provisions for marine mammal protection in the approved Plan of Operations or through an agreement with the National Marine Fisheries Service.
39. Coeur shall sponsor a Berners Bay working group to coordinate activities and promote good communication among the operator, the agencies and the public."

This consistency response may include reference to specific laws and regulations, but this in no way precludes an applicant's responsibility to comply with all other applicable State and federal laws and regulations.

This consistency response is only for the project as described. If, after issuance of a final consistency response, the applicant proposes any changes to the approved project, including its intended use, prior to or during its siting, construction, or operation, the applicant must contact this office immediately to determine if further review and approval of the modifications to the project is necessary. Changes may require amendments to the State authorizations listed in this response, or may require additional authorizations.

If the proposed activities reveal cultural or paleontological resources, the applicant is to stop any work that would disturb such resources and immediately contact the State Historic Preservation